

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:	)	Group Art Unit: 1913
	)	
DWAIN MORSE ET AL.	)	Examiner: D. REIFSNYDER
	)	
Serial No.: 10/810,928	)	
	)	
Filed: March 25, 2004	)	
	)	
For: ADJUSTABLE CONTAMINATED	)	
LIQUID MIXING APPARATUS	)	

-----

SECOND LETTER TO THE EXAMINER RE RESPONSE TO OFFICE ACTION

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Sir:

I filed a (first) Letter to the Examiner re Response to Office Action earlier today. In that Letter, I indicated that I was sending therewith a copy of a petition to the Director to suspend the rules to allow an attorney of record for each assignee. However, such petition was inadvertently not sent.



Accordingly, I am sending it to you now.

Respectfully submitted,

SHELDON MAK ROSE & ANDERSON, PC

Date: April 11, 2007

By: Denton L. Anderson  
Denton L. Anderson  
Reg. No. 30,153

225 S. Lake Ave., 9<sup>th</sup> Flr.  
Pasadena, CA 91101  
(626) 796-4000